

# LIVELLO COLLECTION

ACOUSTICAL WALL & CEILING PANELS



## L100

### RIGID CEILING BAFFLES

L100 Baffles are ideal for applications that require hanging baffles with “crisp” corners, a fabric finish and high acoustical ratings.

L100 baffles are constructed with a 6-7# PCF rigid fiberglass core and are available in a variety of sizes and thicknesses.

**Schools & Universities**  
**Hallways & Corridors**  
**Office Environments**  
**Conference Rooms**  
**Lobbies & Entryways**

**AKOUO**  
acoustics



# LIVELLO COLLECTION

## ACOUSTICAL WALL & CEILING PANELS

### FEATURES

- High Quality Affordable Panels
- Excellent Acoustical Performance
- Class A Fire Rated
- Standard or COM Fabrics
- Various Installation Options
- Custom Sizes and Shapes

### TEXTILES

Guilford of Maine FR701 and Anchorage are the industry standards. Hundreds of approved fabrics are also available from numerous manufacturers. Customers may also specify their own fabric provided the material meets manufacturing requirements.

### ACOUSTICS

Thickness	1"	2"
NRC Rating	.80 – .90	1.05 – 1.15

### SIZES

Standard baffle sizes: 2' x 4' or 4' x 8'

Custom baffle sizes: up to 4' x 10'

Standard baffle thicknesses: 1" or 2"

### SUBSTRATE

6-7# PCF rigid fiberglass core

### FIRE RATING

All components have a Class A fire rating per ASTM E-84

### INSTALLATION OPTIONS

The L100 Baffles have brackets or tabs that extend upwards from the top so the baffle may be installed horizontally or vertically from the ceiling.

### EDGE STYLES

Available with natural or chemically hardened profiles.



Square



**AKOUO-ACOUSTICS.COM**

a division of Sedia Systems